

QUESTIONNAIRE SACK FILLING

		m to complete and retu data is taken into account, plo	-	•	e filling it in.
Company		Date			
Contact name		Project.ref			
Function		Phone			
Adress		E-mail			
City					
Country					
Sector of activity	Food & Feed	Chemical industry	Fine che	mical industry	
	Building industry	Water treatment	Other		
PROCESS	REQUIREMENTS -	IF POSSIBLE, SEND US	S A SKETCH OF TH	HE REQUIRED INS	TALLATION
System imple	ementation	Inside	Outside		
Operating ter	mperature	-20°/+40°	Other	2	
Height availab	ole in mm				
Mobile syste	m	yes	no		
Equipment ups	stream of the sack filling s	system			
Bagging rate		sacks/h	m³/h.		kg/h.
Weight of the	sack when filled	minimum		maximum	
Dosing accura	acy	%		g	
Net weighing		Gross weighing			
Commercial	weighing yes	no			
Atex	yes*	no	Temperature		
Zone	20	21 22 0	1 2		
* <u>If Atex zone</u>	, please send the corres	oonding questionnaire.			
MANUFAC	TURING				
Parts in conta	act with the product	Mild steel SS 304	4L SS 316L	Other	
Other parts		Mild steel SS 304	4L SS 316L	Other	
Food grade p	plastic material	Non-food g	rade plastic material		
Special finis	hings: sealing		External bearings	Blasted	bearings
Hygiene		Mirror polished inside	Quick release	FDA co	ertification

MOTORIZATION			
Supply voltage	Frequency	50 Hz	60 Hz
ADDITIONAL INFORMATION			

Note : Our equipment is not compatible for the following specifications:

- Weight of the sack below 5kg
- Valve sack
- Rate greater than 200 bags per hour

SACK CHARACTERISTICS

	SACK 1	SACK 2	SACK 3	SACK 4		
Type of sack			7			
Dimensions in mm		(//) //				
Weight in kg						
Opening system						
Welded	yes no	yes no	yes no	yes no		
Stitched	yes no	yes no	yes no	yes no		
Inner liner	yes no	yes no	yes no	yes no		
Inner liner material						
Internal sack	yes no	yes no	yes no	yes no		
Internal sack material						
Closing system						
Open top back	yes no	yes no	yes no	yes no		
Valve	yes no	yes no	yes no	yes no		

Note: This data is important data for the validation of the adapted system. \\

If possible, send us photos of the sacks.

PRODUCTS CHARACTERISTICS

	Product 1		Product 2		Product 3		Product 4	
Designation								
Apparent density kg/m³								
True density kg/m³								
Maximum granulometry μm								
Main granulometry μm								
Angle of repose °								
Moisture content %								
Product temperature °C								
Abrasive	yes	no	yes	no	yes	no	yes	no
Toxic	yes	no	yes	no	yes	no	yes	no
Arching	yes	no	yes	no	yes	no	yes	no
Sticky	yes	no	yes	no	yes	no	yes	no
Food product	yes	no	yes	no	yes	no	yes	no
Special characteristics*	yes	no	yes	no	yes	no	yes	no
Specify					•		•	
Lumpy products**	yes	no	yes	no	yes	no	yes	no
Caked product	yes	no	yes	no	yes	no	yes	no

^{*} If yes, please forward us the Material Safety Data Sheet.

Note: The standard machines are able to pass 80 mm lump with a sieve of 100 x 100 mm.

It is very important to give us the maximum information on the products to be treated; please send us the MSDS or inform us of the danger level/ toxicity of the product.

^{**}If the product presents lumps, please define the type of lumps.